

SECTION 1 / SWINGING SCREEN DOORS

PRODUCT	PAGE
Extruded aluminum security & deluxe screen doors.....	2-7
Economy roll form screen doors.....	7-8
Door list	9
Custom options	10
Handle hardware - standard & upgrade	11
Double door astragal kits.....	12
Bottom & side adjustment channels	13
Worksheet & sizing chart	14
Order form	15

STEEL & EXTRUDED ALUMINUM SCREEN DOORS

This section includes an example and specifications on Precision’s line of extruded aluminum screen and extruded aluminum security screen doors. These products are manufactured at our Redlands, CA plant.

All Precision aluminum screen and security screen doors have a 1 (one) year warranty on workmanship and material (see terms and conditions page for details.)

The pictures shown illustrate some of the finish options available. Standard finishes are indicated on each page. See our Precision color selections page.

Standard sizes shown are “call-out” sizes. The actual “standard” net frame size is indicated in this chart.

“STANDARD” NET FRAME SIZE

Extruded aluminum security door:

Centurion, Vanguard

Extruded aluminum

Athens 29-1/4", 31-1/4" & 35-1/4" x 79-1/2"

Extruded aluminum swinging door:

Brighton, Clearview, Colonade, Fiesta,

Oceanside, Safeguard, Santa Cruz,

Santa Cruz “Full Grille” 29-1/4", 31-1/4" & 35-1/4" x 79-1/4"

Roll form swinging door:

Provincial, Capri, Promo 31-1/8" & 35-1/8" x 79-3/4"

The “net overall size” is the door without hinge/bottom adjustment channels.

See pages at the end of this section for information regarding the custom order sizes, prices and options available on Precision aluminum doors.

For any questions regarding any Precision products or specifications, please contact your sales representative or call Precision order desk.

Features


- 2-7/8" x 7/8" .062 Extruded aluminum frame
- Standard sizes
2'6" x 6'8" (29-1/4" x 79-1/2")
2'8" x 6'8" (31-1/4" x 79-1/2")
3'0" x 6'8" (35-1/4" x 79-1/2")
- Custom widths 24" up to 41-1/4", heights up to 96"
- Lever handle combination deadbolt lock in antique brass (2961BZ), black (2962BK) or white (2977WH)
- Heavy duty closer included
- **Must specify handing**
- Keyed alike cylinders available
- Charcoal fiberglass insect screening
- 1-1/2" .050 side adjustable channel - 3 hinges
- 1-1/2" .050 bottom adjustment channel
- Extruded amplimesh 1/4" aluminum centurion grille
- Precision SAFEGUARD packaging - complete with hardware

Standard Finishes

- Adobe, almond, bronze or white powder coated
- Bronze or satin anodized
- No special colors available for this door

Options

- Custom size
- Pre-hung kit
- Screen cloth upgrade



Extruded Aluminum Security Screen Door



3/0 = 36" • 2/8 = 32" • 2/6 = 30"

Features


- 2-7/8" x 7/8" .062 Extruded aluminum frame
- Standard sizes only - No custom sizes
2'6" x 6'8" (29-1/4" x 79-1/2")
2'8" x 6'8" (31-1/4" x 79-1/2")
3'0" x 6'8" (35-1/4" x 79-1/2")
- Lever handle combination deadbolt lock in antique brass (2961BZ), black (2962BK) or white (2977WH)
- Heavy duty closer included
- **Must specify handing**
- Keyed alike cylinders available
- Extruded amplimesh grille
- Charcoal fiberglass insect screening
- 1-1/2" .050 side adjustable channel - 3 hinges
- 1-1/2" .050 bottom adjustment channel
- Precision SAFEGUARD packaging - complete with hardware

Standard Finishes

- Bronze or white powder coated
- No special colors available for this door

Options

- No options available



Extruded Aluminum Security Screen Door




3/0 = 36" • 2/8 = 32" • 2/6 = 30"

Extruded Aluminum
"Heavy Duty" Screen Door



3/0 = 36"



Features

- 2-7/8" x 7/8" .062 Extruded aluminum frame
- Standard size only - No custom sizes
3'0" x 6'8" (35-1/4" x 79-1/2")
- Lever handle combination deadbolt lock in black (2962BK) or white (2977WH)
- Heavy duty closer included
- Heavy duty steel architectural arched insert
- Charcoal fiberglass insect screening

• Must specify handing

- Keyed alike cylinders available
- 1-1/2" .050 side adjustable channel - 3 hinges
- 1-1/2" .050 bottom adjustment channel
- Precision SAFEGUARD packaging - complete with hardware

Standard Finishes

- Almond, bronze or white powder coated

Options

- No options available

BRIGHTON (Series 3525)

Extruded Aluminum
Screen Door



3/0 = 36" • 2/8 = 32" • 2/6 = 30"



Features

- 2-1/8" x 3/4" .050 Extruded aluminum frame
- Standard sizes
2'6" x 6'8" (29-1/4" x 79-1/4")
2'8" x 6'8" (31-1/4" x 79-1/4")
3'0" x 6'8" (35-1/4" x 79-1/4")
- Custom widths 24" up to 47-7/8", heights up to 110"
Extra charges will apply for doors over 96" in height
- 1" wide sculptured 9 lite marginal grid pattern
- Charcoal fiberglass insect screening
- Standard push button handle
- 1-7/8" .050 side adjustable channel - 3 hinges
- 1-7/8" .050 bottom adjustment channel
- Precision SAFEGUARD packaging - complete with hardware

Standard Finishes

- Adobe, almond, black, bronze or white powder coated

Options

- Custom size
- 9" Kick plate
- Pre-hung kit
- Screen cloth upgrade

Features

- 2-1/8" x 3/4" .050 Extruded aluminum frame
- Standard 6" embossed .024 aluminum kickplate (8-1/8" overall)
- Standard sizes
2'6" x 6'8" (29-1/4" x 79-1/4")
2'8" x 6'8" (31-1/4" x 79-1/4")
3'0" x 6'8" (35-1/4" x 79-1/4")
- Custom widths 29" up to 47-7/8", heights up to 110"
Extra charges will apply for doors over 96" in height
- Charcoal fiberglass insect screening
- Standard push button handle

Series 4510 KD kit available (no kickplate)


- 1-7/8" .050 channel side adjustable - 3 hinges
- 1-7/8" .050 bottom adjustment channel
- Precision SAFEGUARD packaging - complete with hardware

Standard Finishes

- Adobe, almond, black, bronze or white powder coated
- Bronze or satin anodized

Options

- Custom size
- Handle upgrade
- Kick plate
- Pet door
- Pre-hung kit
- Push bar
- Screen cloth upgrade



Extruded Aluminum Screen Door



3/0 = 36" • 2/8 = 32" • 2/6 = 30"

Features

- 2-1/8" x 3/4" .050 Extruded aluminum frame
- Standard sizes
2'6" x 6'8" (29-1/4" x 79-1/4")
2'8" x 6'8" (31-1/4" x 79-1/4")
3'0" x 6'8" (35-1/4" x 79-1/4")
- Custom widths 29" up to 47-7/8", heights up to 120"
Extra charges will apply for doors over 96" in height
- 1" wide sculptured 15 lite grid pattern
- Charcoal fiberglass insect screening
- Standard push button handle
- 1-7/8" .050 side adjustable channel - 3 hinges
- 1-7/8" .050 bottom adjustment channel
- Precision SAFEGUARD packaging - complete with hardware

Standard Finishes

- Adobe, almond, black, bronze or white powder coated

Options

- Custom size
- Handle upgrade
- Kick plate
- Pre-hung kit
- Screen cloth upgrade




Extruded Aluminum Screen Door



3/0 = 36" • 2/8 = 32" • 2/6 = 30"

Extruded Aluminum
Screen Door



3/0 = 36" • 2/8 = 32" • 2/6 = 30"



Features

- 2-1/8" x 3/4" .050 Extruded aluminum frame
- Standard 12" embossed .024 aluminum kickplate
- Standard sizes
2'6" x 6'8" (29-1/4" x 79-1/4")
2'8" x 6'8" (31-1/4" x 79-1/4")
3'0" x 6'8" (35-1/4" x 79-1/4")
- Custom widths 36" up to 41-1/4", heights up to 81"
Grille turned sideways on doors over 35-1/4" wide
- Charcoal fiberglass insect screening
- Standard push button handle
- 1-7/8" .050 side adjustment channel - 3 hinges
- 1-7/8" .050 bottom adjustment channel
- Extruded amplimesh 3/16" aluminum grille
- Precision SAFEGUARD packaging - complete with hardware

Standard Finishes

- Adobe, almond, bronze or white powder coated
- Satin anodized

Options

- Pet door

SANTA CRUZ (Series 3521)

Extruded Aluminum
Screen Door



3/0 = 36" • 2/8 = 32" • 2/6 = 30"



Features

- 2-1/8" x 3/4" .050 Extruded aluminum frame
- Standard 12" embossed .024 aluminum kickplate
- Standard sizes
2'6" x 6'8" (29-1/4" x 79-1/4")
2'8" x 6'8" (31-1/4" x 79-1/4")
3'0" x 6'8" (35-1/4" x 79-1/4")
- Custom widths 24" up to 41-1/4", heights up to 110"
Grille turned sideways on doors over 35-1/4" wide
Extra charges will apply for doors over 96" in height
- Charcoal fiberglass insect screening
- Standard push button handle
- 1-7/8" .050 side adjustable channel - 3 hinges
- 1-7/8" .050 bottom adjustment channel
- Extruded amplimesh 3/16" aluminum grille
- Precision SAFEGUARD packaging - complete with hardware

Standard Finishes

- Adobe, almond, bronze or white powder coated
- Satin anodized

Options

- Custom size
- Kick plate
- Pet door

Features

- 2-1/8" x 3/4" .050 Extruded aluminum frame, adjusts up to 1" wide and 1-3/4" high
- Standard 12" embossed .024 aluminum kickplate
- Standard sizes
2'6" x 6'8" (29-1/4" x 79-1/4")
2'8" x 6'8" (31-1/4" x 79-1/4")
3'0" x 6'8" (35-1/4" x 79-1/4")
- Custom widths 24" up to 47-7/8", heights up to 110"
Extra charges will apply for doors over 96" in height
- Charcoal fiberglass insect screening
- Standard push button handle
- 1-7/8" .050 side adjustment channel - 3 hinges
- 1-7/8" .050 bottom adjustment channel
- Standard fiesta expanded aluminum grille
- Precision SAFEGUARD packaging - complete with hardware

Standard Finishes

- Adobe, almond, black, bronze or white powder coated
- Bronze or satin anodized
- Mill

Options

- Custom size
- Handle upgrade
- Kick plate
- Pet door
- Pre-hung kit
- Push bar
- Screen cloth upgrade



Extruded Aluminum Screen Door



3/0 = 36" • 2/8 = 32" • 2/6 = 30"

(Series 3517) SAFEGUARD

Features

- 2-1/8" x 3/4" .050 Extruded aluminum frame
- Standard 12" embossed .024 aluminum kickplate
- Standard sizes
2'6" x 6'8" (29-1/4" x 79-1/4")
2'8" x 6'8" (31-1/4" x 79-1/4")
3'0" x 6'8" (35-1/4" x 79-1/4")
- Custom widths 24" up to 41-1/4", heights up to 110"
Grille turned sideways on doors over 35-1/4" wide
Extra charges will apply for doors over 96" in height
- Charcoal fiberglass insect screening
- Standard push button handle
- 1-7/8" .050 side adjustable channel - 3 hinges
- 1-7/8" .050 bottom adjustment channel
- Extruded amplimesh 3/16" aluminum grille
- Precision SAFEGUARD packaging - complete with hardware

Standard Finishes

- Adobe, almond, black, bronze or white powder coated
- Satin anodized

Options

- Custom size
- Handle upgrade
- Kick plate
- Pet door
- Pre-hung kit
- Push bar
- Screen cloth upgrade



Extruded Aluminum Screen Door




3/0 = 36" • 2/8 = 32" • 2/6 = 30"

Heavy Duty Extruded Aluminum Screen Door



3/0 = 36" • 2/8 = 32" • 2/6 = 30"

New



Features

- 2-1/8" x 3/4" .050 Extruded aluminum frame
- Standard 12" embossed .024 aluminum kickplate
- Standard sizes
2'6" x 6'8" (29-1/4" x 79-1/4")
2'8" x 6'8" (31-1/4" x 79-1/4")
3'0" x 6'8" (35-1/4" x 79-1/4")
- Custom widths 24" up to 41-1/4", heights up to 110"
Grille turned sideways on doors over 35-1/4" wide
Extra charges will apply for doors over 96" in height
- Charcoal fiberglass insect screening
- Standard push button handle
- 1-7/8" .050 side adjustable channel - 3 hinges
- 1-7/8" .050 bottom adjustment channel
- Extruded amplimesh 3/16" aluminum grille
- Precision SAFEGUARD packaging - complete with hardware

Standard Finishes

- Adobe, almond, black, bronze or white powder coated
- Satin anodized

Options

- Custom size
- Handle upgrade
- Kick plate
- Pet door
- Pre-hung kit
- Push bar
- Screen cloth upgrade

PROMO (Series 3210)

Economy Roll Form Steel Screen Door



3/0 = 36" • 2/8 = 32"



Features

- 2" x 7/8" .016 Roll form steel frame
- Standard 5-1/4" kickplate
- Standard sizes only - No custom sizes
2'8" x 6'8" (31-1/4" x 79-3/4")
3'0" x 6'8" (35-1/4" x 79-3/4")
- Charcoal fiberglass insect screening
- Single push bar
- Standard push button handle
- 1" bottom channel adjustment for proper height adjustment
- Precision SAFEGUARD packaging - complete with hardware

Standard Finishes

- Gray
- No other color options available for this door

Options

- No options available

Features


- 2" x 7/8" .016 Roll form steel frame
- Standard 5-1/4" kickplate
- Standard sizes only - No custom sizes
2'8" x 6'8" (31-1/8" x 79-3/4")
3'0" x 6'8" (35-1/8" x 79-3/4")
- Charcoal fiberglass insect screening
- Standard push button handle
- (3) Standard push bars
- 1-3/4" side adjustable channel with 2 hinges
- 1" bottom channel adjustment for proper height adjustment
- Provincial expanded metal grille
- Precision SAFEGUARD packaging - complete with hardware

Standard Finishes

- Bronze, gray or white
- No other color options available for this door

Options

- No options available



Economy Roll Form Steel Screen Door



3/0 = 36" • 2/8 = 32"

Features


- 2" x 7/8" .016 Roll form steel frame
- Standard 5-1/4" kickplate
- Standard sizes only - No custom sizes
2'8" x 6'8" (31-1/4" x 79-3/4")
3'0" x 6'8" (35-1/4" x 79-3/4")
- Charcoal fiberglass insect screening
- Single push bar
- Standard push button handle
- 1" bottom channel adjustment for proper height adjustment
- Precision SAFEGUARD packaging - complete with hardware

Standard Finishes


- Bronze, gray or white
- No other color options available for this door

Options

- No options available

















Economy Roll Form Steel Screen Door



3/0 = 36" • 2/8 = 32"

HINGED SCREEN DOORS Complete with Channels and Hardware

Name/ Series	Product Line	Description	Name/ Series	Product Line	Description
Centurion 3610 Page 2	D3003	 <p>2-7/8" x 7/8" .062 Extruded aluminum frame Available in 2'6", 2'8" & 3'0" x 6'8" Custom widths 24" up to 41-1/4", Heights up to 96" Extruded 1/4" aluminum centurion grille Adobe, almond, bronze or white Bronze or satin anodized No custom colors available for this door</p>	Santa Cruz 3521 Page 5	D3002	 <p>2-1/8" x 3/4" .050 Extruded aluminum frame Available in 2'6", 2'8" & 3'0" x 6'8" Custom widths 24" up to 41-1/4", Heights up to 110" * Extruded amplimesh 3/16" aluminum grille Adobe, almond, bronze or white Satin anodized</p>
Vanguard 3660 Page 2	D3003	 <p>2-7/8" x 7/8" .062 Extruded aluminum frame Available in 2'6", 2'8" & 3'0" x 6'8" Extruded amplimesh grille Bronze or white No custom sizes or colors available for this door</p>	Fiesta 3530 Page 6	D3002	 <p>2-1/8" x 3/4" .050 Extruded aluminum frame Available in 2'6", 2'8" & 3'0" x 6'8" Custom widths 24" up to 47-7/8", Heights up to 110" * Empress expanded aluminum heavy duty grille with metal grille surround Adobe, almond, black, bronze or white Bronze or satin anodized; mill</p>
Athens 3550 Page 3	D3002	 <p>2-7/8" x 7/8" .062 Extruded aluminum frame Available in 3'0" x 6'8" only Heavy duty steel architectural arched insert Almond, bronze or white No custom sizes or colors available for this door</p>	Safeguard 3517 Page 6	D3002	 <p>2-1/8" x 3/4" .050 Extruded aluminum frame Available in 2'6", 2'8" & 3'0" x 6'8" Custom widths 24" up to 41-1/4", Heights up to 110" * Extruded amplimesh 3/16" aluminum grille Adobe, almond, black, bronze or white Satin anodized</p>
Brighton 3525 Page 3	D3002	 <p>2-1/8" x 3/4" .050 Extruded aluminum frame Available in 2'6", 2'8" & 3'0" x 6'8" Custom widths 24" up to 47-7/8", Heights up to 110" * 1" Wide sculptured diamond lite grid pattern Adobe, almond, black, bronze or white</p>	Oceanside 3540 Page 7	D3002	 <p>2-1/8" x 3/4" .050 Extruded aluminum frame Available in 2'6", 2'8" & 3'0" x 6'8" Custom widths 24" up to 41-1/4", Heights up to 110" * Extruded amplimesh 3/16" aluminum grille Adobe, almond, black, bronze or white Satin anodized</p>
Clearview 3510 Page 4	D3002	 <p>2-1/8" x 3/4" .050 Extruded aluminum frame Available in 2'6", 2'8" & 3'0" x 6'8" Custom widths: 29" up to 47-7/8", Heights up to 110" * Standard 6" embossed .024 Alum. kickplate Adobe, almond, black, bronze or white Bronze or Satin anodized</p>	Promo 3210 Page 7	D3000	 <p>2" x 7/8" Roll form steel frame Available in 2'8" & 3'0" x 6'8" Single push bar Standard 5-1/4" embossed kickplate Gray No custom sizes or colors available for this door</p>
Colonade 3520 Page 4	D3002	 <p>2-1/8" x 3/4" .050 Extruded aluminum frame Available in 2'6", 2'8" & 3'0" x 6'8" Custom widths 29" up to 47-7/8", Heights up to 120" * 1" Wide sculpted 15 lite grid pattern Adobe, almond, black, bronze or white</p>	Provencial 3480 Page 8	D3001	 <p>2" x 7/8" Roll form steel frame (3) Standard push bars Standard 5-1/4" kickplate Available in 2'8" & 3'0" x 6'8" Bronze, gray or white No custom sizes or colors available for this door</p>
Santa Cruz Full Grille 3522 Page 5	D3002	 <p>2-1/8" x 3/4" .050 Extruded aluminum frame Available in 2'6", 2'8" & 3'0" x 6'8" Extruded amplimesh 3/16" aluminum grille Custom widths 36" up to 41-1/4", Heights up to 81" Fiesta expanded aluminum grille Adobe, almond, bronze or white Satin anodized</p>	Capri 3230 Page 8	D3000	 <p>2" x 7/8" Roll form steel frame Available in 2'8" & 3'0" x 6'8" Single push bar Standard 5-1/4" kickplate Bronze, gray or white No custom sizes or colors available for this door</p>

**Extra charges will apply for doors over 96" in height*

HINGED SCREEN DOOR

Custom options (add-ons) for extruded aluminum doors

Product Line D9999 for all options on this page

Option	Option Code	Description
Frame	OP-1PB-1	Install 1 each #288PB – 1-1/8" Extruded push bar (up to 3 push bars)
	OP-ADDKPLATE-9	Install a 9" kickplate in place of stock kickplate
	OP-ADDKPLATE-12	Install a 12" kickplate in place of stock kickplate
	OP-ADDKPLATE-20	Install a 20" kickplate in place of stock kickplate
	OP-SWSLOT4HNDL	Special placement security door lock (Centurion only)
Handle	2960xx	Add new designer hardware (extruded doors only) Available colors (replace xx): AB, BK, BR, BZ, SN & WH
	2965	Cylinders keyed alike (Centurion only)
Hinge	OP-ADDSHINGE-1	Additional hinge to channel (special hinge placement on channel)
Pre-hung frame for aluminum doors	OP-PREHUNG	Available pre-installed on door only (available in satin, white or bronze)
Pet door	OP-PD-SWG-S	Install pet door centered – small
	OP-PD-SWG-M	Install pet door centered – medium
	OP-PD-SWG-L	Install pet door centered – large
	OP-PD-SWG-X	Install pet door centered – extra large
Screen cloth	OP-SC14CF	Charcoal fiber 18" x 14"
	OP-SC16BA	Brite silver aluminum 18" x 16"
	OP-SCPSBK	Black petscreen
	OP-SCSSCF	Charcoal sunscreen
	OP-SCSTBK	Black sun tex
	OP-SC16BV	Better view

See price list for additional "OP" options

See pages 11-13 for all available options choices.

Note: Not all options are available in every door style, see individual door pages for specific information.

SCREEN DOOR ACCESSORIES

Standard and deluxe series door hardware



DESIGNER HARDWARE

Standard lever handle for our .062" aluminum extruded deluxe security doors

Finish	Part No.	Product Line
Antique brass	2960AB	F3970
Black	2960BK	F3970
Brass	2960BR	F3970
Bronze	2960BZ	F3970
Satin nickel	2960SN	F3970
White	2960WH	F3970

Includes: Inside and outside lever assembly, mortise lock, key cylinder, spindle, strike box, strike plate, screws and installation instructions.

The Designer hardware pack does not include a closer, but a standard hardware pack is included automatically with every swinging door purchase at no extra charge. Please specify desired standard hardware color to coordinate with your new designer hardware.

In options and special instructions on order form – *Example: Satin nickel - Designer/Silver standard pack*



GEORGIAN DESIGNER HARDWARE (OP-HNDL2129)

Upgrade lever handle for our .050" aluminum extruded deluxe line

Finish	Part No.	Product Line
Black	2129BK	F3320
Brass	2129BR	F3320
Satin nickel	2129SN	F3320
White	2129WH	F3320

Includes: Outside lever assembly, inside latch assembly, spring pack deadbolt plate, strike, spindle, screws and installation instructions.

The Georgian hardware pack does not include a closer, but a standard hardware pack is included automatically with every swinging door purchase at no extra charge. Please specify desired standard hardware color to coordinate with your new designer hardware.

In options and special instructions on order form – *Example: Satin nickel - Georgian/Silver standard pack*



STANDARD HARDWARE KIT PACK

For .050" extruded and roll form screen doors

Finish	Part No.	Product Line
Adobe	2090AD	F3320
Almond	2090AL	F3320
Black	2090BK	F3320
Bronze	2090BZ	F3320
Silver	2090SL	F3320
White	2090WH	F3320

Includes: Push button handle, inside latch, closer, bracket, screws and installation instructions.

Above items and upgraded closures can be ordered separately. Contact customer service/order desk for more information.



Hardware Kit

Note: Color coordinated hardware pack is automatically included with screen door purchase. Handle color may be specified when ordering door.

SCREEN DOOR ACCESSORIES

Double door kits

ONE-PIECE SCREEN DOOR ASTRAGAL

Slide Bolt - 2891BK - Spring not included


Spring - 2891-S

Fits our extruded series screen doors only

(Does not work with any other door in our line)

For ease of installation and enhanced visual appearance. Precision has designed a double door astragal system for screen doors.

- Slide bolts are self contained and hidden from view. (Internal slide bolt 2891, 2891-S)
- Simple installation
- No unsightly slide bolts to install separately.
- Easy for the installer




Finish	Product Line	Size - (84")	Size - (96")
Adobe	F3950	2920AD	2921AD
Almond	F3950	2920AL	2921AL
Black	F3950	2920BK	2921BK
Bronze	F3950	2920BZ	2921BZ
Bronze anodized	F3950	2920BA	2921BA
Satin anodized	F3950	2920SA	2921SA
White	F3950	2920WH	2921WH


DOUBLE SCREEN DOOR KITS

Fits all extruded & roll form screen doors


Finish	Product Line	Size - (84")	Size - (96")
Adobe	F3950	2911AD-84	2912AD-96
Almond	F3950	2911AL-84	2912AL-96
Black	F3950	2911BK-84	2912BK-96
Bronze	F3950	2911BZ-84	2912BZ-96
Bronze anodized	F3950	2911BA-84	2912BA-96
Satin anodized	F3950	2911SA-84	2912SA-96
White	F3950	2911WH-84	2912WH-96



Slide bolt



Strike



Actual size

Kit Includes:

- 1 Extruded astragal with screws
- 1 Special strike with shim
- 2 #2890 Slide-bolts (black only)
- 1 Instruction sheet


DOUBLE SECURITY SCREEN DOOR KITS

Fits Athens, Centurion & Vanguard

Finish	Product Line	Size - (84")	Size - (96")
Bronze	F3950	2976BZ-84	2981BZ-96
White	F3950	2976WH-84	2981WH-96

Kit Includes:

- 1 Extruded astragal with screws
- 1 Double door strike plate (brass)
- 2 #2890 Slide-bolts (black only)
- 1 Instruction sheet



Slide bolt

French door strike plate



For Security Doors



Security door "T"-astragal

SCREEN DOOR ACCESSORIES

Bottom adjustment & hinge adjustment channels

B.A.C.= Bottom Adjustment Channel

H.S.A.C.= Hinge Side Adjustment Channel (comes standard with 3 hinges)

Finish	Product Line	Bottom channel 36" (BAC)	Hinge channel (HSAC) 81"	96"
--------	--------------	-----------------------------	-----------------------------	-----

Extruded Aluminum Doors

Adobe	F3320	2036AD	2041AD	2076AD
Almond	F3320	2036AL	2041AL	2076AL
Black	F3320	2036BK	2041BK	2076BK
Bronze	F3320	2036BZ	2041BZ	2076BZ
Bronze Anodized	F3320	2036BA	2041BA	2076BA
Satin Anodized	F3320	2036SA	2041SA	2076SA
White	F3320	2036WH	2041WH	2076WH


Extruded Aluminum Security Doors

Bronze	F3970	2946BZ	2953BZ
White	F3970	2946WH	2953WH


Black Vinyl Sweep	F3320	2975BK-750
--------------------------	-------	------------

Screen Door Hinge

Adobe	F3850	2175AD
Almond	F3850	2175AL
Bronze	F3850	2175BZ
White	F3850	2175WH



Extruded aluminum
bottom adjustment channel
with sweep



Extruded aluminum hinge
side adjustment channel

Door type Steel	Product Line	Bottom channel 36" (BAC)	Hinge channel 81" (HSAC)
Bronze	F3320	2037BZ	2044BZ
Gray	F3320	2037GR	2044GR
White	F3320	2037WH	2044WH

*Standard with 2 hinges. 3rd. hinge, add \$4.00

SWINGING SCREEN DOOR WORKSHEET

Use this worksheet to help your customer in measuring and selecting their door


Phone (909) 379-0123

Customer Name _____

Job Name/PO# _____


Step 1

- Width Always First
- Measure opening width, inside jamb to inside jamb at three places (top, middle & bottom)
- Always in inches
- Always outside house looking in
- Take the largest of the three measurements



Step 2

- Measure opening height from threshold to header (inside to inside)
- Always in inches
- Always outside looking in



Step 3

- Measured Width _____ - 3/4" = _____ Net Size
- Measured Height _____ - 3/4" = _____ Net Size

Step 4

- Select Door, Color and Options
- If Pre-Hung frame needed specify hinge side (Right or Left) *(from outside looking in)*

DOOR SIZING CHART

Aluminum and Heavy Duty Steel Swinging Screen Doors

Door Series

Aluminum Security Door
Vanguard & Centurion

Extruded Aluminum
Athens

Extruded Aluminum
*Brighton, Fiesta, Safeguard,
Santa Cruz, Santa Cruz Full Grille,
Colonade, Clearview, Oceanside*

Roll Form
Provincial, Capri & Promo

	DOOR WIDTH			NET DOOR HEIGHT		
	Net door width	With hinge channel collapsed	With hinge channel extended	Without bottom channel	With bottom channel collapsed	With bottom channel extended
(36") 3/0=	35-1/4"	35-1/2"	36-1/4"	79-1/2"	79-3/4"	80-3/4"
(32") 2/8=	31-1/4"	31-1/2"	32-1/4"	79-1/2"	79-3/4"	80-3/4"
(30") 2/6=	29-1/4"	29-1/2"	30-1/4"	79-1/2"	79-3/4"	80-3/4"
(36") 3/0=	35-1/4"	35-1/2"	36-1/2"	79-1/4"	79-1/2"	80-5/8"
(32") 2/8=	31-1/4"	31-1/2"	32-1/2"	79-1/4"	79-1/2"	80-5/8"
(30") 2/6=	29-1/4"	29-1/2"	30-1/2"	79-1/4"	79-1/2"	80-5/8"
(36") 3/0=	35-1/8"	35-1/2"	36-3/8"	79-3/4"	79-3/4"	81"
(32") 2/8=	31-1/8"	31-1/2"	32-3/8"	79-3/4"	79-3/4"	81"

Hinged Screen Door Quick Fax Form

Fax to (909) 379-0169

Customer Name _____ Fax# _____

Contact Name _____ Job Name/ PO# _____

Phone #: _____ Account #: _____ QUOTE ORDER

Qty	Series/Name	Part#	Finish	* Net Size (Width/Height)	Screen Color/Type	Ht. Color	Handle R/L	Notes & Options Instructions
= Total Qty.								

*Sizing Chart page 14

Doors Selection:

